

Leyland[®]
Trade

Substrate Guide



The Professional's Paint
Since 1922

Contents

Introduction 03

Interior Surfaces 04 – 13

Exterior Surfaces 14 – 21

Paint Mixing System 20 – 21

Case Studies 22

Defects & Solutions 23

Support Services 24

Leyland Trade

“The right choice
made easy!”

As a professional you need a paint that can live up to your name and reputation to get the job done. You need a paint range that's as honest, trusted, dependable and hard working as you are, and we want to be there by your side.

Leyland has been around for nearly 90 years, so there's not much we don't know about paint which is why we've grown to become the number 2 volume trade paint brand in the UK today. Known as "The Professional's Paint" Leyland has a long and distinguished history, and was one of the first manufacturers to pioneer the development of emulsion paints for the home owner with the introduction of its "Leytex" product, a name that is still known as a market leader today.



Leyland's success continued over the years as the business grew from its original site in Leyland, Lancashire to one of the largest paint manufacturing facilities in Europe and to become part of PPG Industries, a world leading supplier of coatings and specialty products.

Today, our commitment to provide honest, trusted and reliable products for the trade remains. Our comprehensive trade range ensures you always have the product you need to get the job done as well as offering outstanding value for money. No matter how big or small the job, Leyland can offer you the product, services and support you need and have come to expect from a market leading brand.

Keep up to date with all the latest news and competitions by following us on Facebook and Twitter.



































 /leylandpaint


 @leylandpaints

Interior Surfaces

www.leylandtrade.com

Product	Good to know
	Vinyl Matt <ul style="list-style-type: none"> • 1, 2.5, 5 & 10L sizes • Brilliant white & 15 ready mixed colours • Over 16,000 tinted colours available • Top quality finish & first rate opacity • Wipeable
	Vinyl Silk <ul style="list-style-type: none"> • 1, 2.5, 5 & 10L sizes • Brilliant white & 6 ready mixed colours • Over 16,000 tinted colours available • Top quality washable finish • Resists dirt
	Soft Sheen <ul style="list-style-type: none"> • 2.5 & 5L sizes • Brilliant white & magnolia • Over 16,000 tinted colours available • Subtle mid sheen finish • Dirt resisting & easy to clean
	Acrylic Eggshell <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • Brilliant white & 4 ready mixed colours • Over 16,000 tinted colours available • Low odour & quick drying • 10 times tougher than standard Matt & Silk • Perfect for kitchens & bathrooms
	Hardwearing Matt <ul style="list-style-type: none"> • 5L size • Brilliant white & magnolia • Over 7,000 tinted colours available • Durable & scrubbable • Stain & moisture resisting
	Flat Matt <ul style="list-style-type: none"> • 5L size • Brilliant white • Over 7,000 tinted colours available • Fashionable & stylish completely flat appearance • Excellent opacity & uniformity

Dry Lining / Plaster Board	New Plaster	Redecoration	Wallcoverings	Textured Surfaces	Concrete	Wood	Metal
							
							
							
						 	
						 	
							




 = Surfaces must be suitably primed
























 = BBA Certified  = Tinted Colours Available

 = ok  = good  = excellent

Interior Surfaces

The Professional's Paint Since 1922

Product	Good to know
	Super Leytex Matt <ul style="list-style-type: none"> • 5, 10 & 15L sizes • Brilliant white, magnolia & gardenia • Over 7,000 tinted colours available • Ideal for new plaster, allows surface to breathe and dry out
	Super Leytex Silk <ul style="list-style-type: none"> • 10L size • Brilliant white & magnolia • Easy to clean • Resists dirt build up • Superb covering power
	Contract Matt <ul style="list-style-type: none"> • 10 & 15L sizes • Brilliant white & magnolia • Outstanding covering power • Perfect for new work
	Contract Silk <ul style="list-style-type: none"> • 10L size • Brilliant white & magnolia • Excellent covering power • Washable
	Heavy Duty Floor Paint <ul style="list-style-type: none"> • 2.5 & 5L sizes • 8 Ready mixed colours • Resists chemicals, oil, grease, & water • Perfect for garages & warehouses • Tough & durable

Dry Lining / Plaster Board	New Plaster	Redecoration	Wallcoverings	Textured Surfaces	Concrete	Wood	Metal
							
							
							
							
							



= Surfaces must be suitably primed



= BBA Certified



= Tinted Colours Available



= ok



= good



= excellent























= excellent

Interior Surfaces

www.leylandtrade.com

Product	Good to know
	Wood Primer <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • White • Excellent grip • Primes all bare wood, chipboard & MDF • Recoat 16–24 hours
	Alkali Resisting Wall Primer <ul style="list-style-type: none"> • 2.5 & 5L sizes • White • Seals powdery surfaces • Protects against Alkali • Recoat 16–24 hours
	All Purpose Primer <ul style="list-style-type: none"> • 750ml & 2.5L sizes • White • Multi surface primer • Exceptional grip • Highly durable & anti corrosive • Recoat 16–24 hours
	Acrylic Primer Undercoat <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • White • Great all rounder • Low odour & quick drying • Second coat acts as undercoat • Recoat 1–2 hours
	Contract Primer Undercoat <ul style="list-style-type: none"> • 2.5 & 5L sizes • White • Ideal for new work • Low odour & quick drying • Recoat 1–2 hours

Dry Lining / Plaster Board	New Plaster	Masonry	Wood	Metal	MDF	Ceramic Tiles	Melamine	Plastic
								
								
								
								
								

 = Surfaces must be suitably primed































 = BBA Certified  = Tinted Colours Available

 = ok  = good  = excellent

Interior Surfaces

The Professional's Paint Since 1922

Product	Good to know
  	High Gloss <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • Brilliant white & 14 ready mixed colours • Over 16,000 tinted colours available • Tough & durable • Premium quality
  	Eggshell <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • Brilliant white & 3 ready mixed colours • Over 16,000 tinted colours available • Popular mid sheen finish • Hardwearing & easy to apply
  	Undercoat <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • White & 7 ready mixed colours • Over 16,000 tinted colours available • Perfect base for gloss • Superior opacity
 	Satinwood <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • Brilliant white • Dirt resistant & resilient against knocks • Modern, satin finish • No need for undercoat
 	One Coat Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white, magnolia & black • No undercoat required • Excellent opacity
 	Non Drip Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white • Quick & easy to use • Drip resistant • No undercoat required

Dry Lining / Plaster Board	New Plaster	Masonry	Wood	Metal	MDF	Ceramic Tiles	Melamine	Plastic
								
								
								
								
								
								



= Surfaces must be suitably primed



= BBA Certified



= Tinted Colours Available



= ok



= good



































= excellent

Interior Surfaces

www.leylandtrade.com

Product	Good to know
  	Fast Drying Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white & black • Over 16,000 tinted colours available • Outstanding whiteness & non yellowing • Fast drying & low odour • For best results, use a synthetic brush
  	Fast Drying Satin <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white & black • Over 16,000 tinted colours available • Outstanding whiteness & non yellowing • Fast drying & low odour • For best results, use a synthetic brush
  	Fast Drying Undercoat <ul style="list-style-type: none"> • 750ml & 2.5L sizes • White & dark grey • Over 16,000 tinted colours available • High opacity & excellent adhesion • Fast drying & low odour • For best results, use a synthetic brush
 	Acrylic Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white & black • Quick drying • Low odour • Non yellowing • For best results, use a synthetic brush
 	Contract Gloss <ul style="list-style-type: none"> • 2.5 & 5L sizes • Brilliant white • High opacity • Perfect for new work • Quick & easy to apply
 	Contract Undercoat <ul style="list-style-type: none"> • 2.5 & 5L sizes • Brilliant white • Perfect base for contract gloss • Excellent covering power

Dry Lining / Plaster Board	New Plaster	Masonry	Wood	Metal	MDF	Ceramic Tiles	Melamine	Plastic
								
								
								
								
								
								



 = Surfaces must be suitably primed




 = BBA Certified  = Tinted Colours Available

 = ok  = good  = excellent

Exterior Surfaces

The Professional's Paint Since 1922

Product	Good to know
 	Truguard Smooth <ul style="list-style-type: none"> • 5 & 10L sizes • Brilliant white & 15 ready mixed colours • Over 16,000 tinted colours available • Resists dirt & pollution • Anti-carbonation properties • 15 year life
 	Truguard Fine Textured <ul style="list-style-type: none"> • 5L size • Brilliant white & magnolia • Over 7,000 tinted colours available • Resists dirt & pollution • Anti-carbonation properties • 10 year life
 	Truguard Pliolite® <ul style="list-style-type: none"> • 5L size • Brilliant white & 15 ready mixed colours • Over 7,000 tinted colours available • Rain resistant in 20 minutes • Safe to use as low as -5c • 15 year life
 	Truguard Hi-Textured <ul style="list-style-type: none"> • 10L size • Brilliant white, magnolia & gardenia • Can be used on plywood panels • Creates textured effects • 10 year life
 	Truguard Stabilising Primer <ul style="list-style-type: none"> • 2.5 & 5L sizes • Clear & off white • Highly penetrative • Binds chalky surfaces
 	Truguard Flexible Gloss <ul style="list-style-type: none"> • 2.5L size • Brilliant white & black • Extra protection for outside • Resists blistering & cracking • Water resisting & microporous • 5 year life

Masonry	Wood	Metal	Plastic
			
			
			
			
			
			



= Surfaces must be suitably primed



= BBA Certified



= Tinted Colours Available



= ok



= good














= excellent

Exterior Surfaces

www.leylandtrade.com

Product	Good to know
	Truguard Flexible Undercoat <ul style="list-style-type: none"> • 2.5L size • White & dark grey • Perfect partner for flexible gloss • Water resisting & microporous • 5 year life
	Wood Primer <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • White • Excellent grip • Primes all bare wood, chipboard & MDF • Recoat 16–24 hours
	Alkali Resisting Wall Primer <ul style="list-style-type: none"> • 2.5 & 5L sizes • White • Seals powdery surfaces • Protects against Alkali • Recoat 16–24 hours
	All Purpose Primer <ul style="list-style-type: none"> • 750ml & 2.5L sizes • White • Multi surface primer • Exceptional grip • Highly durable & anti corrosive • Recoat 16–24 hours
	Acrylic Primer Undercoat <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • White • Great all rounder • Low odour & quick drying • Second coat acts as undercoat • Recoat 1–2 hours
	Contract Primer Undercoat <ul style="list-style-type: none"> • 2.5 & 5L sizes • White • Ideal for new work • Low odour & quick drying • Recoat 1–2 hours

Masonry	Wood	Metal	Plastic
			
			
			
			
			
			



P = Surfaces must be suitably primed



= BBA Certified



= Tinted Colours Available



= ok



= good



= excellent



= excellent





















= excellent

Exterior Surfaces

The Professional's Paint Since 1922

Product	Good to know
  	High Gloss <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • Brilliant white & 14 ready mixed colours • Over 16,000 tinted colours available • Tough & durable • Premium quality
  	Undercoat <ul style="list-style-type: none"> • 750ml, 2.5 & 5L sizes • White & 7 ready mixed colours • Over 16,000 tinted colours available • Perfect base for gloss • Superior opacity
 	One Coat Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white, magnolia & black • No undercoat required • Excellent opacity
 	Non Drip Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white • Quick & easy to use • Drip resistant • No undercoat required
 	Contract Gloss <ul style="list-style-type: none"> • 2.5 & 5L sizes • Brilliant white • High opacity • Perfect for new work • Quick & easy to use
 	Contract Undercoat <ul style="list-style-type: none"> • 2.5 & 5L sizes • Brilliant white • Perfect base for contract gloss • Excellent covering power

Masonry	Wood	Metal	Plastic
			
			
			
			
			
			



= Surfaces must be suitably primed



= BBA Certified



= Tinted Colours Available



= ok



= good



= excellent














= excellent















= excellent

Exterior Surfaces

www.leylandtrade.com

Product	Good to know
  	Fast Drying Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white & black • Over 16,000 tinted colours available • Outstanding whiteness & non yellowing • Fast drying & low odour • For best results, use a synthetic brush
  	Fast Drying Satin <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white & black • Over 16,000 tinted colours available • Outstanding whiteness & non yellowing • Fast drying & low odour • For best results, use a synthetic brush
  	Fast Drying Undercoat <ul style="list-style-type: none"> • 750ml & 2.5L sizes • White & dark grey • Over 16,000 tinted colours available • High opacity & excellent adhesion • Fast drying & low odour • For best results, use a synthetic brush
 	Acrylic Gloss <ul style="list-style-type: none"> • 750ml & 2.5L sizes • Brilliant white & black • Low odour • Non yellowing • For best results, use a synthetic brush

Masonry	Wood	Metal	Plastic
			
			
			
			

Leyland. IN-STORE PAINT MIXING




The Leyland tinting system offers you a huge choice of over 16,000 colours. To help make your choice easier, a wide selection of these colours are displayed in-store and grouped by hue using the NCS notation system.

If you already have a colour in mind, our unique ColorXpress colour matching service is available free of charge. The advanced ColorXpress technology will ensure matches to paint, fabric, wallpaper and even tiles!

Open Mon - Fri 7:30am - 5pm Sat 8am - 12noon

Call now on 01924 354321

 = Surfaces must be suitably primed

 = BBA Certified  = Tinted Colours Available

 = ok  = good  = excellent

Leyland. Case Studies

Don't just take our word for it! See what our loyal Leyland users have to say about our products...

FRANK SNELL

"Quality that betters the best and price that beats the rest, that's what makes Leyland Vinyl Matt our closely guarded secret!"

ADVANTAGE DECORATORS



DARREN ROBINSON

"Excellent product from start to finish, excellent coverage, superb to apply, a great product for a long lasting finish. Thank you Leyland!"

B ROBINSON & SONS LTD



PAUL RATCLIFFE, B&P RATCLIFFE LTD

"We've tried plenty of paints over the years but nothing has persuaded us to stop using Leyland."

IMMACULATE CONCEPTION CHURCH, CHARLESWORTH



WAYNE NICHOLAS, ÜBER MASSCLUSIVE

"We had little option but to specify Leyland for the whole development once we had seen the quality of the finish in the showroom."

ATLAS MILLS APARTMENTS, BOLTON



You can find further testimonials and case studies online at www.leylandtrade.com

Leyland. Defects & Solutions

Defect	Solution
Biffiness: Small specks and blotches on what should be a good painted surface. Usually caused by dust, broken paint skins or dirty equipment.	Biffiness: Take the utmost care during both preparation and application. Ensure surfaces are smooth. Strain the paint if necessary. Avoid dusty conditions and use clean equipment.
Bleeding: Discolouration caused by the underlying colour seeping through the newly painted surface. Could be due to previous coatings such as dyes and creosote or perhaps nicotine stains.	Bleeding: If possible, strip off the old paint. If this is impractical, treat affected areas with a Stain Block Primer.
Blistering: Results from poor adhesion of the paint to the surface. Normal causes are damp in timber or moisture in the atmosphere.	Blistering: Ensure that the paint adheres effectively to the surface. Remove all defective paint. Let each coat fully harden before further application.
Brush marks: In heavy bodied paints it is difficult to avoid brush marks. Otherwise they are usually the result of poor application.	Brush marks: Keep paint to an even consistency and brush out to a thin, even coating. Cross brush and lay-off with very light strokes.
Cissing: Occurs with poor adhesion when an old previously painted surface hasn't been rubbed down or is so hard that it is impervious to the new coat. Seen as small depressions or holes in the paint surface.	Cissing: Try vigorous brushing. If this doesn't work, wash off new paint and rub down with White Spirit. If the new surface has dried, rub down and re-finish.
Curtaining, running or sagging: Usually due to bad application or poor brushing.	Curtaining, running or sagging: Brush out well, cross brushing and laying off evenly. If the defect has occurred in old work, rub down thoroughly before re-painting.
Discolouration: May be caused by surface contaminants or atmospheric attack.	Discolouration: There is no effective treatment other than re-painting.
Efflorescence: Seen as white furry crystalline deposits on new plaster and cement. Occurs as the surface dries out.	Efflorescence: Do not seal. Remove by dry brushing from time to time.
Fattening and feeding: Recognised as thickening of the paint, making it eventually unusable. Caused by mixing of paints.	Fattening and feeding: Do not mix different brands of paint. Where thickening is slight the problem can be rectified by use of thinners.
Flaking: Similar to blistering, flaking is caused by moisture under the surface or by painting in damp conditions.	Flaking: Solvent-borne finishes: Remove all paint and start again. Water-borne finishes: Scrape off all loose paint and seal with a solvent-borne primer.
Flashing or sheariness: Glossy streaks or patchiness observed when viewing a surface from a shallow angle. Caused by faulty application or by the paint setting too quickly.	Flashing or sheariness: Thin paint to ease brushing. Use a roller or apply paint quickly. Do not touch after "initial set".
Grinning: Seen where previous undercoat shows through.	Grinning: Use recommended undercoats. Avoid over thinning of the top coat.
Loss of gloss: Can be due to moisture at the time of, or slightly after, application eg dew, porous undercoat or grease under the surface.	Loss of gloss: Allow the surface to harden. Rub down and re-paint.
Mould and mildew: Usually occurs under damp or humid conditions. Different locations produce different growths.	Mould and mildew: Treat with a Sterilisation Wash and remove.
Saponification: Occurs when solvent-borne paints are affected by alkalis in the presence of moisture.	Saponification: Prevent by using Leyland Alkali Resisting Wall Primer. Where saponification has already occurred, strip, wash, allow to dry and re-paint.
Wrinkling: Usually occurs with gloss finishes on exterior work where a rapid surface skin is formed. Wrinkling is most severe when very thick films are applied.	Wrinkling: If the paint is sufficiently hard, rub down and re-paint. If the film is still very soft scrape off the gloss coat, clean with White Spirit and re-paint.

Leyland[®] Trade

Leyland Support Services

TECHNICAL SUPPORT

Facing problems and need some help?

Ask our experienced Industry professionals and support agents.

Tel: +44 (0)1924 354100



COLOUR CONSULTANCY

Not sure which colours to use on your next project?

Let our experienced team of Colour Consultants help.

Tel: +44 (0)1924 354103



SPECIFICATION

Starting a large new build or renovation project?

Our team of professional Technical Specification Consultants are here to help.

Tel: +44 (0)1924 354516



www.leylandtrade.com

Sales Enquiries: **+44 (0)1924 354600**

 /leylandpaint

 @leylandpaints



PPG Industries

Bringing innovation to the surface.™

PPG Architectural Coatings UK Limited, Huddersfield Road
Birstall, Batley, West Yorkshire WF17 9XA
Tel: +44 (0)1924 354000 Fax: +44 (0)1924 354001

Made in the EU
05/2012 LT0150